


## PETROBRAS\_02022\_000409\_2014\_15\_BSant\_PETROBRAS\_2017\_01\_15\_Int\_Fund\_Terceiros\_JanD



### Tags

INTENSIDADE; FUNDEIO; PORTOS; ATRACAÇÃO; FUNDEADOURO; USO; TERCEIROS

### Summary

Intensidade de uso dos Portos (Fundeiio) das Embarcações Petrobras e Terceiros, referentes aos meses de janeiro a dezembro de 2016

### Description

Contagem de atracções nos portos situados na BS no ano de 2016, mostrando a intensidade de uso. Somente embarcações de Terceiros e utilizado para comparação das embarcações que são de uso da Petrobras.

### Credits

PETROBRAS / E&P-SERV/US-OPSUB/GDSO/GDS

### Use limitations

There are no access and use limitations for this item.

### Extent

**West** -48.655343 **East** -43.193537  
**North** -22.893472 **South** -26.904891

### Scale Range

**Maximum (zoomed in)** 1:5,000  
**Minimum (zoomed out)** 1:150,000,000

### ArcGIS Metadata ▶

#### Topics and Keywords ▶

\* CONTENT TYPE Downloadable Data

[Hide Topics and Keywords ▲](#)

#### Citation ▶

\* TITLE PETROBRAS\_02022\_000409\_2014\_15\_BSant\_PETROBRAS\_2017\_01\_15\_Int\_Fund\_Terceiros\_JanDez2016

PRESENTATION FORMATS \* digital map

[Hide Citation ▲](#)

#### Resource Details ▶

DATASET LANGUAGES \* Portuguese (BRAZIL)

SPATIAL REPRESENTATION TYPE \* vector

\* PROCESSING ENVIRONMENT Microsoft Windows 7 Version 6.1 (Build 7601) Service Pack 1; Esri ArcGIS 10.4.0.5524

#### CREDITS

PETROBRAS / E&P-SERV/US-OPSUB/GDSO/GDS

#### ARC GIS ITEM PROPERTIES

\* NAME PETROBRAS\_02022\_000409\_2014\_15\_BSant\_PETROBRAS\_2017\_01\_15\_Int\_Fund\_Terceiros\_JanDez2016  
 \* SIZE 0.000  
 \* LOCATION file:///\\dragon\bs\_gis\_sms\$\GIS\_SMS\_RESERVADO\2.OSGeo\OSGeo\_2017\007\_20170113\_PMTE2016\3.Entregaveis\Banco\_dados\_PMTE\_2016\SHAPEFILE\PETROBRAS\_02022\_000409\_2014\_15\_BSant\_PETROBRAS\_2017\_01\_15\_Int\_Fund\_Terceiros\_JanDez2016.shp  
 \* ACCESS PROTOCOL Local Area Network

[Hide Resource Details ▲](#)

#### Extents ▶

##### EXTENT

##### VERTICAL EXTENT

\* MINIMUM VALUE 0,000000  
 \* MAXIMUM VALUE 0,000000

##### EXTENT

##### GEOGRAPHIC EXTENT

##### BOUNDING RECTANGLE

EXTENT TYPE Extent used for searching  
 \* WEST LONGITUDE -48.655343  
 \* EAST LONGITUDE -43.193537  
 \* NORTH LATITUDE -22.893472  
 \* SOUTH LATITUDE -26.904891  
 \* EXTENT CONTAINS THE RESOURCE Yes

##### EXTENT IN THE ITEM'S COORDINATE SYSTEM

\* WEST LONGITUDE -48.655343  
 \* EAST LONGITUDE -43.193537  
 \* SOUTH LATITUDE -26.904891

\* NORTH LATITUDE -22.893472  
 \* EXTENT CONTAINS THE RESOURCE Yes

[Hide Extents ▲](#)

## Spatial Reference ►

ARCGIS COORDINATE SYSTEM

\* TYPE **Geographic**  
 \* GEOGRAPHIC COORDINATE REFERENCE **SIRGAS 2000**  
 \* COORDINATE REFERENCE DETAILS  
 GEOGRAPHIC COORDINATE SYSTEM  
 X ORIGIN -400  
 Y ORIGIN -400  
 XY SCALE 11258999068426.238  
 Z ORIGIN -100000  
 Z SCALE 10000  
 M ORIGIN -100000  
 M SCALE 10000  
 XY TOLERANCE 8.9831528411952133e-009  
 Z TOLERANCE 0.001  
 M TOLERANCE 0.001  
 HIGH PRECISION **true**  
 LEFT LONGITUDE -180  
 WELL-KNOWN TEXT GEOGCS["SIRGAS 2000",DATUM["D\_SIRGAS2000",SPHEROID  
 ["Geodetic\_Reference\_System\_of\_1980",6378137.0,298.2572221009113]],PRIMEM["Greenwich",0.0],UNIT["Degree",0.0174532925199433]]

REFERENCE SYSTEM IDENTIFIER

\* VALUE 0

[Hide Spatial Reference ▲](#)

## Spatial Data Properties ►

VECTOR ►

\* LEVEL OF TOPOLOGY FOR THIS DATASET **geometry only**

GEOMETRIC OBJECTS

FEATURE CLASS NAME **PETROBRAS\_02022\_000409\_2014\_15\_BSant\_PETROBRAS\_2017\_01\_15\_Int\_Fund\_Terceiros\_JanDez2016**  
 \* OBJECT TYPE **point**  
 \* OBJECT COUNT **8**

[Hide Vector ▲](#)

ARCGIS FEATURE CLASS PROPERTIES ►

FEATURE CLASS NAME **PETROBRAS\_02022\_000409\_2014\_15\_BSant\_PETROBRAS\_2017\_01\_15\_Int\_Fund\_Terceiros\_JanDez2016**  
 \* FEATURE TYPE **Simple**  
 \* GEOMETRY TYPE **Point**  
 \* HAS TOPOLOGY **FALSE**  
 \* FEATURE COUNT **8**  
 \* SPATIAL INDEX **TRUE**  
 \* LINEAR REFERENCING **TRUE**

[Hide ArcGIS Feature Class Properties ▲](#)

[Hide Spatial Data Properties ▲](#)

## Geoprocessing history ►

PROCESS

PROCESS NAME

DATE **2017-02-08 09:52:36**

TOOL LOCATION **c:\program files (x86)\arcgis\desktop10.4\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToFeatureClass**

COMMAND ISSUED

```
FeatureClassToFeatureClass \\dragon\bs_gis_sms$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2016
\016_20160218_PMTE_2015_dados_brutos\2.Geoprocessamento Auxiliär\USO_PORTOS\PORTOS_REVISAO_20161110.shp
\\dragon\bs_gis_sms$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2017\007_20170113_PMTE2016
\2.Geoprocessamento Auxiliär\FUNDEIO ATRACACOES\Intensidade Fundeio_TERCEIROS\Intensidade_Uso_Terceiros.gdb
Intensidade_Portos_Terceiros_2016 # "Object_ID "Object_ID" true true false 10 Long 0
10 ,First,#,\\dragon\bs_gis_sms$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2016
\016_20160218_PMTE_2015_dados_brutos\2.Geoprocessamento Auxiliär\USO_PORTOS\PORTOS_REVISAO_20161110.shp,Object_ID,-1,-1;PRTO_ID_PO
"PRTO_ID_PO" true true false 19 Double 0 0 ,First,#,\\dragon\bs_gis_sms$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2016
\016_20160218_PMTE_2015_dados_brutos\2.Geoprocessamento Auxiliär\USO_PORTOS\PORTOS_REVISAO_20161110.shp,PRTO_ID_PO,-1,-1;PRTO_NM_PO
"PRTO_NM_PO" true true false 50 Text 0 0 ,First,#,\\dragon\bs_gis_sms$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2016
\016_20160218_PMTE_2015_dados_brutos\2.Geoprocessamento Auxiliär\USO_PORTOS\PORTOS_REVISAO_20161110.shp,PRTO_NM_PO,-1,-1;PRTO_SG_UN
"PRTO_SG_UN" true true false 15 Text 0 0 ,First,#,\\dragon\bs_gis_sms$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2016
\016_20160218_PMTE_2015_dados_brutos\2.Geoprocessamento Auxiliär\USO_PORTOS\PORTOS_REVISAO_20161110.shp,PRTO_SG_UN,-1,-1;PRTO_TX_OP
"PRTO_TX_OP" true true false 50 Text 0 0 ,First,#,\\dragon\bs_gis_sms$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2016
\016_20160218_PMTE_2015_dados_brutos\2.Geoprocessamento Auxiliär\USO_PORTOS\PORTOS_REVISAO_20161110.shp,PRTO_TX_OP,-1,-1;PRTO_DT_IN
"PRTO_DT_IN" true true false 19 Double 0 0 ,First,#,\\dragon\bs_gis_sms$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2016
\016_20160218_PMTE_2015_dados_brutos\2.Geoprocessamento Auxiliär\USO_PORTOS\PORTOS_REVISAO_20161110.shp,PRTO_DT_IN,-1,-1;PRTO_SG_UF
"PRTO_SG_UF" true true false 2 Text 0 0 ,First,#,\\dragon\bs_gis_sms$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2016
\016_20160218_PMTE_2015_dados_brutos\2.Geoprocessamento Auxiliär\USO_PORTOS\PORTOS_REVISAO_20161110.shp,PRTO_SG_UF,-1,-1;PRTO_TX_FO
"PRTO_TX_FO" true true false 15 Text 0 0 ,First,#,\\dragon\bs_gis_sms$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2016
\016_20160218_PMTE_2015_dados_brutos\2.Geoprocessamento Auxiliär\USO_PORTOS\PORTOS_REVISAO_20161110.shp,PRTO_TX_FO,-1,-1;PRTO_TX_LA
"PRTO_TX_LA" true true false 15 Text 0 0 ,First,#,\\dragon\bs_gis_sms$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2016
\016_20160218_PMTE_2015_dados_brutos\2.Geoprocessamento Auxiliär\USO_PORTOS\PORTOS_REVISAO_20161110.shp,PRTO_TX_LA,-1,-1;PRTO_TX_LO
"PRTO_TX_LO" true true false 15 Text 0 0 ,First,#,\\dragon\bs_gis_sms$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2016
\016_20160218_PMTE_2015_dados_brutos\2.Geoprocessamento Auxiliär\USO_PORTOS\PORTOS_REVISAO_20161110.shp,PRTO_TX_LO,-1,-1;PRTO_TX_MU
"PRTO_TX_MU" true true false 30 Text 0 0 ,First,#,\\dragon\bs_gis_sms$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2016
\016_20160218_PMTE_2015_dados_brutos\2.Geoprocessamento Auxiliär\USO_PORTOS\PORTOS_REVISAO_20161110.shp,PRTO_TX_MU,-1,-1;PRTO_TX_AD
"PRTO_TX_AD" true true false 30 Text 0 0 ,First,#,\\dragon\bs_gis_sms$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2016
\016_20160218_PMTE_2015_dados_brutos\2.Geoprocessamento Auxiliär\USO_PORTOS\PORTOS_REVISAO_20161110.shp,PRTO_TX_AD,-1,-1;PRTO_TX_SI
"PRTO_TX_SI" true true false 50 Text 0 0 ,First,#,\\dragon\bs_gis_sms$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2016
\016_20160218_PMTE_2015_dados_brutos\2.Geoprocessamento Auxiliär\USO_PORTOS\PORTOS_REVISAO_20161110.shp,PRTO_TX_SI,-1,-1;POINT_X
"POINT_X" true true false 19 Double 0 0 ,First,#,\\dragon\bs_gis_sms$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2016
\016_20160218_PMTE_2015_dados_brutos\2.Geoprocessamento Auxiliär\USO_PORTOS\PORTOS_REVISAO_20161110.shp,POINT_X,-1,-1;POINT_Y
"POINT_Y" true true false 19 Double 0 0 ,First,#,\\dragon\bs_gis_sms$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2016
\016_20160218_PMTE_2015_dados_brutos\2.Geoprocessamento Auxiliär\USO_PORTOS\PORTOS_REVISAO_20161110.shp,POINT_Y,-1,-1;POINT_Z
"POINT_Z" true true false 19 Double 0 0 ,First,#,\\dragon\bs_gis_sms$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2016
\016_20160218_PMTE_2015_dados_brutos\2.Geoprocessamento Auxiliär\USO_PORTOS\PORTOS_REVISAO_20161110.shp,POINT_Z,-1,-1;FREQUENCIA
"FREQUENCIA" true true false 10 Long 0 10 ,First,#,\\dragon\bs_gis_sms$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2016
\016_20160218_PMTE_2015_dados_brutos\2.Geoprocessamento Auxiliär\USO_PORTOS\PORTOS_REVISAO_20161110.shp,FREQUENCIA,-1,-1" #
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA **No**

[Hide Geoprocessing history ▲](#)**Distribution ►**

DISTRIBUTION FORMAT

\* NAME Shapefile

TRANSFER OPTIONS

\* TRANSFER SIZE 0.000

[Hide Distribution ▲](#)**Fields ►**

DETAILS FOR OBJECT PETROBRAS\_02022\_000409\_2014\_15\_BSant\_PETROBRAS\_2017\_01\_15\_Int\_Fund\_Terceiros\_JanDez2016 ►

\* TYPE Feature Class

\* ROW COUNT 8

FIELD FID ►

\* ALIAS FID

\* DATA TYPE OID

\* WIDTH 4

\* PRECISION 0

\* SCALE 0

\* FIELD DESCRIPTION

Internal feature number.

\* DESCRIPTION SOURCE

Esri

\* DESCRIPTION OF VALUES

Sequential unique whole numbers that are automatically generated.

[Hide Field FID ▲](#)

FIELD Shape ►

\* ALIAS Shape

\* DATA TYPE Geometry

\* WIDTH 0

\* PRECISION 0

\* SCALE 0

\* FIELD DESCRIPTION

Feature geometry.

\* DESCRIPTION SOURCE

Esri

\* DESCRIPTION OF VALUES

Coordinates defining the features.

[Hide Field Shape ▲](#)

FIELD PRTO\_NM\_PO ►

\* ALIAS PRTO\_NM\_PO

\* DATA TYPE String

\* WIDTH 50

\* PRECISION 0

\* SCALE 0

[Hide Field PRTO\\_NM\\_PO ▲](#)

FIELD PRTO\_SG\_UF ►

\* ALIAS PRTO\_SG\_UF

\* DATA TYPE String

\* WIDTH 2

\* PRECISION 0

\* SCALE 0

[Hide Field PRTO\\_SG\\_UF ▲](#)

FIELD FREQUENCIA ►

\* ALIAS FREQUENCIA

\* DATA TYPE Integer

\* WIDTH 10

\* PRECISION 10

\* SCALE 0

[Hide Field FREQUENCIA ▲](#)[Hide Details for object PETROBRAS\\_02022\\_000409\\_2014\\_15\\_BSant\\_PETROBRAS\\_2017\\_01\\_15\\_Int\\_Fund\\_Terceiros\\_JanDez2016 ▲](#)[Hide Fields ▲](#)**Metadata Details ►**

\* METADATA LANGUAGE Portuguese (BRAZIL)

\* METADATA CHARACTER SET utf8 - 8 bit UCS Transfer Format

SCOPE OF THE DATA DESCRIBED BY THE METADATA \* dataset

SCOPE NAME \* dataset

\* LAST UPDATE 2017-09-27

#### ARC GIS METADATA PROPERTIES

METADATA FORMAT ArcGIS 1.0  
 METADATA STYLE FGDC CSDGM Metadata  
 STANDARD OR PROFILE USED TO EDIT METADATA FGDC

CREATED IN ARC GIS FOR THE ITEM 2017-06-13 16:36:27  
 LAST MODIFIED IN ARC GIS FOR THE ITEM 2017-09-27 14:04:07

#### AUTOMATIC UPDATES

HAVE BEEN PERFORMED Yes  
 LAST UPDATE 2017-09-27 14:04:07

#### ITEM LOCATION HISTORY

ITEM COPIED OR MOVED 2017-06-14 10:23:14  
 FROM \\dragon\bs\_gis\_sms\$\GIS\_SMS\_RESERVADO\2.OSGeo\OSGeo\_2017\007\_20170113\_PMTE2016\3.Entregaveis\Banco\_dados\_PMTE\_2016  
 \PETROBRAS\_02022\_000409\_2014\_15\_BSant\_PETROBRAS\_2017\_01\_15\_Int\_Fund\_Terceiros\_JanDez2016  
 To \\dragon\bs\_gis\_sms\$\GIS\_SMS\_RESERVADO\2.OSGeo\OSGeo\_2017\007\_20170113\_PMTE2016\3.Entregaveis\Banco\_dados\_PMTE\_2016  
 \SHAPEFILE\PETROBRAS\_02022\_000409\_2014\_15\_BSant\_PETROBRAS\_2017\_01\_15\_Int\_Fund\_Terceiros\_JanDez2016

[Hide Metadata Details ▲](#)

### Thumbnail and Enclosures ►

#### THUMBNAIL

THUMBNAIL TYPE JPG

[Hide Thumbnail and Enclosures ▲](#)

### FGDC Metadata (read-only) ▼