


PETROBRAS_02022_000409_2014_15_BSant_PETROBRAS_2016_06_14_Unidades_Fixas

Shapefile



Tags

UNIDADE, MARÍTIMA, PLATAFORMA FPSO, JAQUETA

Summary

Unidades Marítimas fixas (FPSO e JAQUETA) na Bacia de Santos

Description

Localização das Unidades Marítimas fixas no ano de 2016. Ocorreram deslocamento ao longo do ano devido a mudança de posição para a operação.

Credits

PETROBRAS E&P-SERV/US-OPSUB/GDSO/GDS

Use limitations

There are no access and use limitations for this item.

Extent

West -46.528688 **East** -42.450085
North -24.302016 **South** -26.466639

Scale Range

Maximum (zoomed in) 1:5,000
Minimum (zoomed out) 1:150,000,000

ArcGIS Metadata ►**Topics and Keywords ►**

* CONTENT TYPE Downloadable Data

[Hide Topics and Keywords ▲](#)

Citation ►

* TITLE PETROBRAS_02022_000409_2014_15_BSant_PETROBRAS_2016_06_14_Unidades_Fixas

PRESENTATION FORMATS * digital map

[Hide Citation ▲](#)

Resource Details ►

DATASET LANGUAGES * Portuguese (BRAZIL)

SPATIAL REPRESENTATION TYPE * vector

* PROCESSING ENVIRONMENT Microsoft Windows 7 Version 6.1 (Build 7601) Service Pack 1; Esri ArcGIS 10.4.0.5524

CREDITS

PETROBRAS E&P-SERV/US-OPSUB/GDSO/GDS

ARC GIS ITEM PROPERTIES

* NAME PETROBRAS_02022_000409_2014_15_BSant_PETROBRAS_2016_06_14_Unidades_Fixas

* SIZE 0.001

* LOCATION file:///\\dragon\\bs_gis_sms\$\\GIS_SMS_RESERVADO\\2.OSGeo\\OSGeo_2017\\007_20170113_PMTE2016\\3.Entregaveis\\Banco_dados_PMTE_2016

\\SHAPEFILE\\PETROBRAS_02022_000409_2014_15_BSant_PETROBRAS_2016_06_14_Unidades_Fixas.shp

* ACCESS PROTOCOL Local Area Network

[Hide Resource Details ▲](#)

Extents ►

EXTENT

GEOGRAPHIC EXTENT
 BOUNDING RECTANGLE
 EXTENT TYPE Extent used for searching
 * WEST LONGITUDE -46.528688
 * EAST LONGITUDE -42.450085
 * NORTH LATITUDE -24.302016
 * SOUTH LATITUDE -26.466639
 * EXTENT CONTAINS THE RESOURCE Yes

EXTENT IN THE ITEM'S COORDINATE SYSTEM
 * WEST LONGITUDE -46.528688
 * EAST LONGITUDE -42.450085
 * SOUTH LATITUDE -26.466639
 * NORTH LATITUDE -24.302016
 * EXTENT CONTAINS THE RESOURCE Yes

[Hide Extents ▲](#)

Spatial Reference ►

ARCGIS COORDINATE SYSTEM
 * Type **Geographic**
 * GEOGRAPHIC COORDINATE REFERENCE GCS_SIRGAS_2000
 * COORDINATE REFERENCE DETAILS
 GEOGRAPHIC COORDINATE SYSTEM
 WELL-KNOWN IDENTIFIER 4674
 X ORIGIN -400
 Y ORIGIN -400
 XY SCALE 11258999068426.238
 Z ORIGIN -100000
 Z SCALE 10000
 M ORIGIN -100000
 M SCALE 10000
 XY TOLERANCE 8.9831528411952133e-009
 Z TOLERANCE 0.001
 M TOLERANCE 0.001
 HIGH PRECISION true
 LEFT LONGITUDE -180
 LATEST WELL-KNOWN IDENTIFIER 4674
 WELL-KNOWN TEXT GEOGCS["GCS_SIRGAS_2000",DATUM["D_SIRGAS_2000",SPHEROID["GRS_1980",6378137.0,298.257222101]],PRIMEM["Greenwich",0.0],UNIT["Degree",0.0174532925199433],AUTHORITY["EPSG",4674]]

REFERENCE SYSTEM IDENTIFIER
 * VALUE 4674
 * CODESPACE EPSG
 * VERSION 7.8.3(9.2.0)

[Hide Spatial Reference ▲](#)

Spatial Data Properties ►

VECTOR ►
 * LEVEL OF TOPOLOGY FOR THIS DATASET geometry only

GEOMETRIC OBJECTS
 FEATURE CLASS NAME PETROBRAS_02022_000409_2014_15_BSant_PETROBRAS_2016_06_14_Unidades_Fixas
 * OBJECT TYPE point
 * OBJECT COUNT 17

[Hide Vector ▲](#)

ARCGIS FEATURE CLASS PROPERTIES ►
 FEATURE CLASS NAME PETROBRAS_02022_000409_2014_15_BSant_PETROBRAS_2016_06_14_Unidades_Fixas
 * FEATURE TYPE Simple
 * GEOMETRY TYPE Point
 * HAS TOPOLOGY FALSE
 * FEATURE COUNT 17
 * SPATIAL INDEX TRUE
 * LINEAR REFERENCING FALSE

[Hide ArcGIS Feature Class Properties ▲](#)

[Hide Spatial Data Properties ▲](#)

Geoprocessing history ►

PROCESS
 PROCESS NAME
 DATE 2017-05-11 13:54:21
 TOOL LOCATION c:\program files (x86)\arcgis\desktop10.4\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToFeatureClass
 COMMAND ISSUED
 FeatureClassToFeatureClass \\dragon\bs_gis_sms\$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2017\007_20170113_PMTE2016
 \2.Geoprocessamento_Auxiliar\Empreendimentos.shp \\dragon\bs_gis_sms\$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2017
 \007_20170113_PMTE2016\2.Geoprocessamento_Auxiliar\Tratamento_dados_PMTE2016.gdb Empreendimentos_Um_2016 # "LICE_CD_ID
 "LICE_CD_ID" true true false 19 Double 0 0 ,First,#,\\dragon\bs_gis_sms\$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2017
 \007_20170113_PMTE2016\2.Geoprocessamento_Auxiliar\Empreendimentos.shp,LICE_CD_ID,-1,-1;LICE_NM_PR "LICE_NM_PR" true true
 false 254 Text 0 0 ,First,#,\\dragon\bs_gis_sms\$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2017\007_20170113_PMTE2016
 \2.Geoprocessamento_Auxiliar\Empreendimentos.shp,LICE_NM_PR,-1,-1;LICE_NM_AB "LICE_NM_AB" true true false 254 Text 0
 0 ,First,#,\\dragon\bs_gis_sms\$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2017\007_20170113_PMTE2016
 \2.Geoprocessamento_Auxiliar\Empreendimentos.shp,LICE_NM_AB,-1,-1;LICE_NR_PR "LICE_NR_PR" true true false 254 Text 0
 0 ,First,#,\\dragon\bs_gis_sms\$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2017\007_20170113_PMTE2016
 \2.Geoprocessamento_Auxiliar\Empreendimentos.shp,LICE_NM_EM "LICE_NM_EM" true true false 254 Text 0
 0 ,First,#,\\dragon\bs_gis_sms\$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2017\007_20170113_PMTE2016
 \2.Geoprocessamento_Auxiliar\Empreendimentos.shp,LICE_NM_EM,-1,-1;LICE_SG_EM "LICE_SG_EM" true true false 254 Text 0

```

0 ,First,#,\\dragon\bs_gis_sms$GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2017\007_20170113_PMTE2016
\2.Geoprocessamento Auxiliar\Empreendimentos.shp,LICE_SG_EM,-1,-1;LICE_SG_UP "LICE_SG_UP" true true false 254 Text 0
0 ,First,#,\\dragon\bs_gis_sms$GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2017\007_20170113_PMTE2016
\2.Geoprocessamento Auxiliar\Empreendimentos.shp,LICE_SG_UP,-1,-1;LICE_NR_LP "LICE_NR_LP" true true false 254 Text 0
0 ,First,#,\\dragon\bs_gis_sms$GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2017\007_20170113_PMTE2016
\2.Geoprocessamento Auxiliar\Empreendimentos.shp,LICE_NR_LP,-1,-1;LICE_NR_LI "LICE_NR_LI" true true false 254 Text 0
0 ,First,#,\\dragon\bs_gis_sms$GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2017\007_20170113_PMTE2016
\2.Geoprocessamento Auxiliar\Empreendimentos.shp,LICE_NR_LI,-1,-1;LICE_NR_LO "LICE_NR_LO" true true false 254 Text 0
0 ,First,#,\\dragon\bs_gis_sms$GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2017\007_20170113_PMTE2016
\2.Geoprocessamento Auxiliar\Empreendimentos.shp,LICE_DT_IN "LICE_DT_IN" true true false 8 Date 0
0 ,First,#,\\dragon\bs_gis_sms$GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2017\007_20170113_PMTE2016
\2.Geoprocessamento Auxiliar\Empreendimentos.shp,LICE_DT_IN,-1,-1;LICE_DT_1 "LICE_DT_1" true true false 254 Text 0
0 ,First,#,\\dragon\bs_gis_sms$GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2017\007_20170113_PMTE2016
\2.Geoprocessamento Auxiliar\Empreendimentos.shp,LICE_DT_1,-1,-1;LICE_DT_FI "LICE_DT_FI" true true false 8 Date 0
0 ,First,#,\\dragon\bs_gis_sms$GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2017\007_20170113_PMTE2016
\2.Geoprocessamento Auxiliar\Empreendimentos.shp,LICE_DT_FI,-1,-1;LICE_DT_2 "LICE_DT_2" true true false 254 Text 0
0 ,First,#,\\dragon\bs_gis_sms$GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2017\007_20170113_PMTE2016
\2.Geoprocessamento Auxiliar\Empreendimentos.shp,LICE_DT_2,-1,-1;LICE_DT_3 "LICE_DT_3" true true false 8 Date 0
0 ,First,#,\\dragon\bs_gis_sms$GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2017\007_20170113_PMTE2016
\2.Geoprocessamento Auxiliar\Empreendimentos.shp,LICE_DT_3,-1,-1;LICE_DT_4 "LICE_DT_4" true true false 254 Text 0
0 ,First,#,\\dragon\bs_gis_sms$GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2017\007_20170113_PMTE2016
\2.Geoprocessamento Auxiliar\Empreendimentos.shp,LICE_DT_4,-1,-1;LICE_DT_5 "LICE_DT_5" true true false 254 Text 0
0 ,First,#,\\dragon\bs_gis_sms$GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2017\007_20170113_PMTE2016
\2.Geoprocessamento Auxiliar\Empreendimentos.shp,LICE_DT_5,-1,-1;LICE_DT_6 "LICE_DT_6" true true false 254 Text 0
0 ,First,#,\\dragon\bs_gis_sms$GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2017\007_20170113_PMTE2016
\2.Geoprocessamento Auxiliar\Empreendimentos.shp,LICE_DT_6,-1,-1;LICE_NR_CO "LICE_NR_CO" true true false 19 Double 0
0 ,First,#,\\dragon\bs_gis_sms$GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2017\007_20170113_PMTE2016
\2.Geoprocessamento Auxiliar\Empreendimentos.shp,LICE_NR_CO,-1,-1;LICE_NR_1 "LICE_NR_1" true true false 19 Double 0
0 ,First,#,\\dragon\bs_gis_sms$GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2017\007_20170113_PMTE2016
\2.Geoprocessamento Auxiliar\Empreendimentos.shp,LICE_NR_1,-1,-1;LICE_NR_2 "LICE_NR_2" true true false 19 Double 0
0 ,First,#,\\dragon\bs_gis_sms$GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2017\007_20170113_PMTE2016
\2.Geoprocessamento Auxiliar\Empreendimentos.shp,LICE_NR_2,-1,-1;LICE_NR_3 "LICE_NR_3" true true false 19 Double 0
0 ,First,#,\\dragon\bs_gis_sms$GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2017\007_20170113_PMTE2016
\2.Geoprocessamento Auxiliar\Empreendimentos.shp,LICE_NR_3,-1,-1;LICE_TX_FO "LICE_TX_FO" true true false 254 Text 0
0 ,First,#,\\dragon\bs_gis_sms$GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2017\007_20170113_PMTE2016
\2.Geoprocessamento Auxiliar\Empreendimentos.shp,LICE_TX_FO,-1,-1;LICE_NM_LD "LICE_NM_LD" true true false 19 Double 0
0 ,First,#,\\dragon\bs_gis_sms$GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2017\007_20170113_PMTE2016
\2.Geoprocessamento Auxiliar\Empreendimentos.shp,LICE_NM_LD,-1,-1" #

```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

[Hide Geoprocessing history ▲](#)

Distribution ►

DISTRIBUTION FORMAT

* NAME Shapefile

TRANSFER OPTIONS

* TRANSFER SIZE 0.001

[Hide Distribution ▲](#)

Fields ►

DETAILS FOR OBJECT PETROBRAS_02022_000409_2014_15_BSant_PETROBRAS_2016_06_14_Unidades_Fixas ►

* TYPE Feature Class

* ROW COUNT 17

FIELD FID ►

* ALIAS FID

* DATA TYPE OID

* WIDTH 4

* PRECISION 0

* SCALE 0

* FIELD DESCRIPTION

Internal feature number.

* DESCRIPTION SOURCE

Esri

* DESCRIPTION OF VALUES

Sequential unique whole numbers that are automatically generated.

[Hide Field FID ▲](#)

FIELD OBJECTID ►

* ALIAS OBJECTID

* DATA TYPE Integer

* WIDTH 10

* PRECISION 10

* SCALE 0

* FIELD DESCRIPTION

Internal feature number.

* DESCRIPTION SOURCE

Esri

* DESCRIPTION OF VALUES

Sequential unique whole numbers that are automatically generated.

[Hide Field OBJECTID ▲](#)

FIELD Shape ▶

- * ALIAS Shape
- * DATA TYPE Geometry
- * WIDTH 0
- * PRECISION 0
- * SCALE 0
- * FIELD DESCRIPTION
Feature geometry.
- * DESCRIPTION SOURCE
Esri
- * DESCRIPTION OF VALUES
Coordinates defining the features.

[Hide Field Shape ▲](#)

FIELD LICE_NM_PR ▶

- * ALIAS LICE_NM_PR
- * DATA TYPE String
- * WIDTH 254
- * PRECISION 0
- * SCALE 0

[Hide Field LICE_NM_PR ▲](#)

FIELD LICE_NM_AB ▶

- * ALIAS LICE_NM_AB
- * DATA TYPE String
- * WIDTH 254
- * PRECISION 0
- * SCALE 0

[Hide Field LICE_NM_AB ▲](#)

FIELD LICE_NM_EM ▶

- * ALIAS LICE_NM_EM
- * DATA TYPE String
- * WIDTH 254
- * PRECISION 0
- * SCALE 0

[Hide Field LICE_NM_EM ▲](#)

FIELD LICE_SG_EM ▶

- * ALIAS LICE_SG_EM
- * DATA TYPE String
- * WIDTH 254
- * PRECISION 0
- * SCALE 0

[Hide Field LICE_SG_EM ▲](#)

FIELD LICE_SG_UP ▶

- * ALIAS LICE_SG_UP
- * DATA TYPE String
- * WIDTH 254
- * PRECISION 0
- * SCALE 0

[Hide Field LICE_SG_UP ▲](#)

FIELD LICE_NR_LP ▶

- * ALIAS LICE_NR_LP
- * DATA TYPE String
- * WIDTH 254
- * PRECISION 0
- * SCALE 0

[Hide Field LICE_NR_LP ▲](#)

FIELD LICE_NR_LI ▶

- * ALIAS LICE_NR_LI
- * DATA TYPE String
- * WIDTH 254
- * PRECISION 0
- * SCALE 0

[Hide Field LICE_NR_LI ▲](#)

FIELD LICE_DT_IN ▶

- * ALIAS LICE_DT_IN
- * DATA TYPE Date
- * WIDTH 8
- * PRECISION 0
- * SCALE 0

[Hide Field LICE_DT_IN ▲](#)

[Hide Details for object PETROBRAS_02022_000409_2014_15_BSant_PETROBRAS_2016_06_14_Unidades_Fixas ▲](#)

[Hide Fields ▲](#)

Metadata Details ►

* METADATA LANGUAGE Portuguese (BRAZIL)
* METADATA CHARACTER SET utf8 - 8 bit UCS Transfer Format

SCOPE OF THE DATA DESCRIBED BY THE METADATA * dataset
SCOPE NAME * dataset

* LAST UPDATE 2017-09-27

ARCGIS METADATA PROPERTIES

METADATA FORMAT ArcGIS 1.0
METADATA STYLE FGDC CSDGM Metadata
STANDARD OR PROFILE USED TO EDIT METADATA FGDC

CREATED IN ARCGIS FOR THE ITEM 2017-06-12 14:36:49
LAST MODIFIED IN ARCGIS FOR THE ITEM 2017-09-27 13:58:15

AUTOMATIC UPDATES

HAVE BEEN PERFORMED Yes
LAST UPDATE 2017-09-27 13:58:15

ITEM LOCATION HISTORY

ITEM COPIED OR MOVED 2017-06-14 10:22:53
FROM \\dragon\bs_gis_sms\$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2017\007_20170113_PMTE2016
\3.Entregaveis\Banco_dados_PMTE_2016\PETROBRAS_02022_000409_2014_15_BSant_PETROBRAS_2016_06_14_Unidades_Fixas
To \\dragon\bs_gis_sms\$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2017\007_20170113_PMTE2016
\3.Entregaveis\Banco_dados_PMTE_2016
\SHAPEFILE\PETROBRAS_02022_000409_2014_15_BSant_PETROBRAS_2016_06_14_Unidades_Fixas

[Hide Metadata Details ▲](#)

Metadata Contacts ►

METADATA CONTACT

INDIVIDUAL'S NAME Equipe de Geoprocessamento da UO-BS
ORGANIZATION'S NAME PETROBRAS
CONTACT'S ROLE point of contact

CONTACT INFORMATION ►

ADDRESS
TYPE physical
DELIVERY POINT gdsbs@petrobras.com.br
CITY Santos
ADMINISTRATIVE AREA SP
COUNTRY BR
E-MAIL ADDRESS gdsbs@petrobras.com.br

[Hide Contact information ▲](#)

[Hide Metadata Contacts ▲](#)

Thumbnail and Enclosures ►

THUMBNAIL

THUMBNAIL TYPE JPG

[Hide Thumbnail and Enclosures ▲](#)

FGDC Metadata (read-only) ▼