


PETROBRAS_02022_000409_2014_15_BSant_PETROBRAS_2017_01_15_Int_Fund_Petrobras_JanD

Shapefile



Tags

INTENSIDADE; FUNDEIO; PORTOS; ATRACAÇÃO; FUNDEADOURO; USO

Summary

Intensidade de uso dos Portos (Fundeio) das Embarcações Petrobras e Terceiros, referentes aos meses de janeiro a dezembro de 2016

Description

Contagem de atracções nos portos situados na BS no ano de 2016, mostrando a intensidade de uso. Somente embarcações de uso da Petrobras e utilizado para comparação das embarcações que não são de uso Petrobras (Terceiros).

Credits

PETROBRAS / E&P-SERV/US-OPSUB/GDSO/GDS

Use limitations

There are no access and use limitations for this item.

Extent

West -48.655343 **East** -43.193537
North -22.893472 **South** -26.904891

Scale Range

Maximum (zoomed in) 1:5,000
Minimum (zoomed out) 1:150,000,000

ArcGIS Metadata ►

Topics and Keywords ►

* CONTENT TYPE Downloadable Data

[Hide Topics and Keywords ▲](#)

Citation ►

* TITLE PETROBRAS_02022_000409_2014_15_BSant_PETROBRAS_2017_01_15_Int_Fund_Petrobras_JanDez2016

PRESENTATION FORMATS * digital map

[Hide Citation ▲](#)

Resource Details ►

DATASET LANGUAGES * Portuguese (BRAZIL)

SPATIAL REPRESENTATION TYPE * vector

* PROCESSING ENVIRONMENT Microsoft Windows 7 Version 6.1 (Build 7601) Service Pack 1; Esri ArcGIS 10.4.0.5524

CREDITS

PETROBRAS / E&P-SERV/US-OPSUB/GDSO/GDS

ARC GIS ITEM PROPERTIES

* NAME PETROBRAS_02022_000409_2014_15_BSant_PETROBRAS_2017_01_15_Int_Fund_Petrobras_JanDez2016

* SIZE 0.000

* LOCATION file:///C:/Users/BAFR/AppData/Local/Temp/arcBFE7/tmpB2FD.tmp.htm

* SHAPEFILE\PETROBRAS_02022_000409_2014_15_BSant_PETROBRAS_2017_01_15_Int_Fund_Petrobras_JanDez2016.shp

* ACCESS PROTOCOL Local Area Network

[Hide Resource Details ▲](#)

Extents ►

EXTENT

VERTICAL EXTENT

* MINIMUM VALUE 0.000000
 * MAXIMUM VALUE 0.000000

EXTENT

GEOGRAPHIC EXTENT

BOUNDING RECTANGLE

EXTENT TYPE Extent used for searching

* WEST LONGITUDE -48.655343

* EAST LONGITUDE -43.193537

* NORTH LATITUDE -22.893472

* SOUTH LATITUDE -26.904891

* EXTENT CONTAINS THE RESOURCE Yes

EXTENT IN THE ITEM'S COORDINATE SYSTEM

* WEST LONGITUDE -48.655343

* EAST LONGITUDE -43.193537

* SOUTH LATITUDE -26.904891

* NORTH LATITUDE -22.893472
 * EXTENT CONTAINS THE RESOURCE Yes

[Hide Extents ▲](#)

Spatial Reference ►

ARCGIS COORDINATE SYSTEM

* TYPE **Geographic**
 * GEOGRAPHIC COORDINATE REFERENCE **SIRGAS 2000**
 * COORDINATE REFERENCE DETAILS
 GEOGRAPHIC COORDINATE SYSTEM
 X ORIGIN -400
 Y ORIGIN -400
 XY SCALE 11258999068426.238
 Z ORIGIN -100000
 Z SCALE 10000
 M ORIGIN -100000
 M SCALE 10000
 XY TOLERANCE 8.9831528411952133e-009
 Z TOLERANCE 0.001
 M TOLERANCE 0.001
 HIGH PRECISION true
 LEFT LONGITUDE -180
 WELL-KNOWN TEXT GEOGCS["SIRGAS 2000",DATUM["D_SIRGAS2000",SPHEROID
 ["Geodetic_Reference_System_of_1980",6378137.0,298.2572221009113]],PRIMEM["Greenwich",0.0],UNIT["Degree",0.0174532925199433]]

REFERENCE SYSTEM IDENTIFIER

* VALUE 0

[Hide Spatial Reference ▲](#)

Spatial Data Properties ►

VECTOR ►

* LEVEL OF TOPOLOGY FOR THIS DATASET geometry only

GEOMETRIC OBJECTS

FEATURE CLASS NAME PETROBRAS_02022_000409_2014_15_BSant_PETROBRAS_2017_01_15_Int_Fund_Petrobras_JanDez2016
 * OBJECT TYPE point
 * OBJECT COUNT 8

[Hide Vector ▲](#)

ARCGIS FEATURE CLASS PROPERTIES ►

FEATURE CLASS NAME PETROBRAS_02022_000409_2014_15_BSant_PETROBRAS_2017_01_15_Int_Fund_Petrobras_JanDez2016
 * FEATURE TYPE Simple
 * GEOMETRY TYPE Point
 * HAS TOPOLOGY FALSE
 * FEATURE COUNT 8
 * SPATIAL INDEX FALSE
 * LINEAR REFERENCING TRUE

[Hide ArcGIS Feature Class Properties ▲](#)

[Hide Spatial Data Properties ▲](#)

Geoprocessing history ►

PROCESS

PROCESS NAME

DATE 2017-02-08 09:51:55

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.4\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToFeatureClass

COMMAND ISSUED

```
FeatureClassToFeatureClass \\dragon\bs_gis_sms$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2016
\016_20160218_PMTE_2015_dados_brutos\2.Geoprocessamento_Auxiliar\USO_PORTOS\PORTOS_REVISAO_20161110.shp
\\dragon\bs_gis_sms$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2017\007_20170113_PMTE2016
\2.Geoprocessamento_Auxiliar\FUNDEIO_ATRACACOES\Intensidade_Fundoio_BR\Intensidade_Uso_Portos_BR.gdb Intensidade_Portos_BR_2016 #
"Object_ID "Object ID" true true false 10 Long 0 0 ,First,#,\\dragon\bs_gis_sms$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2016
\016_20160218_PMTE_2015_dados_brutos\2.Geoprocessamento_Auxiliar\USO_PORTOS\PORTOS_REVISAO_20161110.shp,Object_ID,-1,-1;PRTO_ID_PO
"PRTO_ID_PO" true true false 19 Double 0 0 ,First,#,\\dragon\bs_gis_sms$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2016
\016_20160218_PMTE_2015_dados_brutos\2.Geoprocessamento_Auxiliar\USO_PORTOS\PORTOS_REVISAO_20161110.shp,PRTO_ID_PO,-1,-1;PRTO_NM_PO
"PRTO_NM_PO" true true false 50 Text 0 0 ,First,#,\\dragon\bs_gis_sms$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2016
\016_20160218_PMTE_2015_dados_brutos\2.Geoprocessamento_Auxiliar\USO_PORTOS\PORTOS_REVISAO_20161110.shp,PRTO_NM_PO,-1,-1;PRTO_SG_UN
"PRTO_SG_UN" true true false 15 Text 0 0 ,First,#,\\dragon\bs_gis_sms$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2016
\016_20160218_PMTE_2015_dados_brutos\2.Geoprocessamento_Auxiliar\USO_PORTOS\PORTOS_REVISAO_20161110.shp,PRTO_SG_UN,-1,-1;PRTO_TX_OP
"PRTO_TX_OP" true true false 50 Text 0 0 ,First,#,\\dragon\bs_gis_sms$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2016
\016_20160218_PMTE_2015_dados_brutos\2.Geoprocessamento_Auxiliar\USO_PORTOS\PORTOS_REVISAO_20161110.shp,PRTO_TX_OP,-1,-1;PRTO_DT_IN
"PRTO_DT_IN" true true false 19 Double 0 0 ,First,#,\\dragon\bs_gis_sms$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2016
\016_20160218_PMTE_2015_dados_brutos\2.Geoprocessamento_Auxiliar\USO_PORTOS\PORTOS_REVISAO_20161110.shp,PRTO_DT_IN,-1,-1;PRTO_SG_UF
"PRTO_SG_UF" true true false 2 Text 0 0 ,First,#,\\dragon\bs_gis_sms$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2016
\016_20160218_PMTE_2015_dados_brutos\2.Geoprocessamento_Auxiliar\USO_PORTOS\PORTOS_REVISAO_20161110.shp,PRTO_SG_UF,-1,-1;PRTO_TX_FO
"PRTO_TX_FO" true true false 15 Text 0 0 ,First,#,\\dragon\bs_gis_sms$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2016
\016_20160218_PMTE_2015_dados_brutos\2.Geoprocessamento_Auxiliar\USO_PORTOS\PORTOS_REVISAO_20161110.shp,PRTO_TX_FO,-1,-1;PRTO_TX_LA
"PRTO_TX_LA" true true false 15 Text 0 0 ,First,#,\\dragon\bs_gis_sms$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2016
\016_20160218_PMTE_2015_dados_brutos\2.Geoprocessamento_Auxiliar\USO_PORTOS\PORTOS_REVISAO_20161110.shp,PRTO_TX_LA,-1,-1;PRTO_TX_LO
"PRTO_TX_LO" true true false 15 Text 0 0 ,First,#,\\dragon\bs_gis_sms$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2016
\016_20160218_PMTE_2015_dados_brutos\2.Geoprocessamento_Auxiliar\USO_PORTOS\PORTOS_REVISAO_20161110.shp,PRTO_TX_LO,-1,-1;PRTO_TX_MU
"PRTO_TX_MU" true true false 30 Text 0 0 ,First,#,\\dragon\bs_gis_sms$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2016
\016_20160218_PMTE_2015_dados_brutos\2.Geoprocessamento_Auxiliar\USO_PORTOS\PORTOS_REVISAO_20161110.shp,PRTO_TX_MU,-1,-1;PRTO_TX_AD
"PRTO_TX_AD" true true false 30 Text 0 0 ,First,#,\\dragon\bs_gis_sms$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2016
\016_20160218_PMTE_2015_dados_brutos\2.Geoprocessamento_Auxiliar\USO_PORTOS\PORTOS_REVISAO_20161110.shp,PRTO_TX_AD,-1,-1;PRTO_TX_SI
"PRTO_TX_SI" true true false 50 Text 0 0 ,First,#,\\dragon\bs_gis_sms$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2016
\016_20160218_PMTE_2015_dados_brutos\2.Geoprocessamento_Auxiliar\USO_PORTOS\PORTOS_REVISAO_20161110.shp,PRTO_TX_SI,-1,-1;POINT_X
"POINT_X" true true false 19 Double 0 0 ,First,#,\\dragon\bs_gis_sms$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2016
\016_20160218_PMTE_2015_dados_brutos\2.Geoprocessamento_Auxiliar\USO_PORTOS\PORTOS_REVISAO_20161110.shp,POINT_X,-1,-1;POINT_Y
"POINT_Y" true true false 19 Double 0 0 ,First,#,\\dragon\bs_gis_sms$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2016
\016_20160218_PMTE_2015_dados_brutos\2.Geoprocessamento_Auxiliar\USO_PORTOS\PORTOS_REVISAO_20161110.shp,POINT_Y,-1,-1;POINT_Z
"POINT_Z" true true false 19 Double 0 0 ,First,#,\\dragon\bs_gis_sms$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2016
\016_20160218_PMTE_2015_dados_brutos\2.Geoprocessamento_Auxiliar\USO_PORTOS\PORTOS_REVISAO_20161110.shp,POINT_Z,-1,-1;FREQUENCIA
"FREQUENCIA" true true false 10 Long 0 10 ,First,#,\\dragon\bs_gis_sms$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2016
\016_20160218_PMTE_2015_dados_brutos\2.Geoprocessamento_Auxiliar\USO_PORTOS\PORTOS_REVISAO_20161110.shp,FREQUENCIA,-1,-1" #
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

DATE 2017-09-15 13:58:57

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.4\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField PETROBRAS_02022_000409_2014_15_BSant_PETROBRAS_2017_01_15_Int_Fund_Petrobras_JanDez2016 FREQ_SEM_1 [Freq_Sem_A] VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

DATE 2017-09-15 14:00:37

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.4\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField PETROBRAS_02022_000409_2014_15_BSant_PETROBRAS_2017_01_15_Int_Fund_Petrobras_JanDez2016 FREQ_NOT_A [FREQ_SEM_1] VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

[Hide Geoprocessing history ▲](#)**Distribution ►**

DISTRIBUTION FORMAT

* NAME Shapefile

TRANSFER OPTIONS

* TRANSFER SIZE 0.000

[Hide Distribution ▲](#)**Fields ►**

DETAILS FOR OBJECT PETROBRAS_02022_000409_2014_15_BSant_PETROBRAS_2017_01_15_Int_Fund_Petrobras_JanDez2016 ►

* TYPE Feature Class

* ROW COUNT 8

FIELD FID ►

* ALIAS FID

* DATA TYPE OID

* WIDTH 4

* PRECISION 0

* SCALE 0

* FIELD DESCRIPTION

Internal feature number.

* DESCRIPTION SOURCE

Esri

* DESCRIPTION OF VALUES

Sequential unique whole numbers that are automatically generated.

[Hide Field FID ▲](#)

FIELD Shape ►

* ALIAS Shape

* DATA TYPE Geometry

* WIDTH 0

* PRECISION 0

* SCALE 0

* FIELD DESCRIPTION

Feature geometry.

* DESCRIPTION SOURCE

Esri

* DESCRIPTION OF VALUES

Coordinates defining the features.

[Hide Field Shape ▲](#)

FIELD PRTO_NM_PO ►

* ALIAS PRTO_NM_PO

* DATA TYPE String

* WIDTH 50

* PRECISION 0

* SCALE 0

[Hide Field PRTO_NM_PO ▲](#)

FIELD PRTO_SG_UF ►

* ALIAS PRTO_SG_UF

* DATA TYPE String

* WIDTH 2

* PRECISION 0

* SCALE 0

[Hide Field PRTO_SG_UF ▲](#)

FIELD FREQUENCIA ►

* ALIAS FREQUENCIA

* DATA TYPE Integer

* WIDTH 10

* PRECISION 10

* SCALE 0

[Hide Field FREQUENCIA ▲](#)

FIELD FREQ_NOT_A ►

* ALIAS FREQ_NOT_A

* DATA TYPE Single
 * WIDTH 13
 * PRECISION 0
 * SCALE 0

[Hide Field FREQ_NOT_A ▲](#)

[Hide Details for object PETROBRAS_02022_000409_2014_15_BSant_PETROBRAS_2017_01_15_Int_Fund_Petrobras_JanDez2016 ▲](#)

[Hide Fields ▲](#)

Metadata Details ►

* METADATA LANGUAGE Portuguese (BRAZIL)
 * METADATA CHARACTER SET utf8 - 8 bit UCS Transfer Format

SCOPE OF THE DATA DESCRIBED BY THE METADATA * dataset
 SCOPE NAME * dataset

* LAST UPDATE 2017-09-27

ARCgis METADATA PROPERTIES

METADATA FORMAT ArcGIS 1.0
 METADATA STYLE FGDC CSDGM Metadata
 STANDARD OR PROFILE USED TO EDIT METADATA FGDC

CREATED IN ARCGIS FOR THE ITEM 2017-06-09 15:52:07
 LAST MODIFIED IN ARCGIS FOR THE ITEM 2017-09-27 14:03:35

AUTOMATIC UPDATES

HAVE BEEN PERFORMED Yes
 LAST UPDATE 2017-09-27 14:03:35

ITEM LOCATION HISTORY

ITEM COPIED OR MOVED 2017-06-14 10:23:36
 FROM \\dragon\bs_gis_sms\$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2017\007_20170113_PMTE2016\3.Entregaveis\Banco_dados_PMTE_2016
 \PETROBRAS_02022_000409_2014_15_BSant_PETROBRAS_2017_01_15_Int_Fund_Petrobras_JanDez2016
 TO \\dragon\bs_gis_sms\$\GIS_SMS_RESERVADO\2.OSGeo\OSGeo_2017\007_20170113_PMTE2016\3.Entregaveis\Banco_dados_PMTE_2016
 \SHAPEFILE\PETROBRAS_02022_000409_2014_15_BSant_PETROBRAS_2017_01_15_Int_Fund_Petrobras_JanDez2016

[Hide Metadata Details ▲](#)

Metadata Contacts ►

METADATA CONTACT

INDIVIDUAL'S NAME Equipe de Geoprocessamento da UO-BS
 ORGANIZATION'S NAME PETROBRAS
 CONTACT'S ROLE point of contact

CONTACT INFORMATION ►

ADDRESS
 TYPE physical
 CITY Santos
 ADMINISTRATIVE AREA SP
 COUNTRY BR
 E-MAIL ADDRESS gdsbs@petrobras.com.br

[Hide Contact information ▲](#)

[Hide Metadata Contacts ▲](#)

Thumbnail and Enclosures ►

THUMBNAIL

THUMBNAIL TYPE JPG

[Hide Thumbnail and Enclosures ▲](#)

FGDC Metadata (read-only) ▼